

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES TRUCK TRACTOR TRAILER (TTT) MAP # 1

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

	<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER-BRIDGE</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
TT MAP #1							
	5	51 FT	112K	25K	50K	60K	60K
	6	51 FT	112K	25K	50K	60K	66K
	6	62 FT	118K	25K	50K	60K	66K
	7	51 FT	122K	25K	40K	60K	66K
	*7	62 FT	127K	25K	40K	60K	66K
	*8	68 FT	137K	25K	40K	60K	66K
	9	75 FT	145K	25K	40K	60K	66K
	9	** 90 FT	152K	22K	40K	40K	40K
	10	*095 FT	162K	22K	40K	50K	50K
SEALED CONTAINER	5	51FT	95K	25K	44K	66K	66K
WRECKER	5	51FT	112K	25K	44K	60K	66K
		OR					
	7	67 FT	132K	25K	50K	60K	66K

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

* 1000 POUNDS MAY BE ADDED FOR EACH ADDITIONAL FOOT OF OUTERBRIDGE UP TO 5000 POUNDS MAXIMUM.

** MINIMUM 13'1 " REQUIRED BETWEEN GROUPINGS.

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES TRUCK TRACTOR TRAILER (TTT) MAP # 2

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER- BRIDGE</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
---------------------------------	-----------------------------------	----------------------------------	---	---	---	---

TT MAP #2

6	51FT	122K	25K	50K	66K	69K
7	55FT	137K	25K	44K	66K	72K
*7	62FT	142K	25K	44K	66K	72K
*8	68FT	152K	25K	44K	66K	72K
8	75FT	160K	25K	44K	66K	72K
9	75FT	160K	25K	44K	66K	72K

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

* 1000 POUNDS MAY BE ADDED FOR EACH ADDITIONAL FOOT OF OUTERBRIDGE UP TO 5000 POUNDS MAXIMUM.

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES

TRUCK TRACTOR TRAILER (TTT) MAP # 3

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER- BRIDGE</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
---------------------------------	-----------------------------------	----------------------------------	---	---	---	---

TT MAP #3

**9	90 FT.	185K	22K	44K	54K	54K
**9	95 FT.	195K	22K	44K	54K	54K
**10	95 FT.	197K	22K	44K	54K	54K
**11	100 FT.	199K	22K	44K	54K	54K

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

** MINIMUM 13'1 " REQUIRED BETWEEN GROUPINGS.

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES

TRUCK CRANES (UNDER OWN POWER) MAP # 1

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER-BRIDGE</u>	<u>MIN. FT. BETWEEN GROUPINGS</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
-----------------------------	--------------------------	-----------------------------------	--------------------------	---------------------------------	---------------------------------	---------------------------------	-------------------------------------

CRANE MAP #1

2	10 FT.	10	55K	27.5K	55K	N/A	N/A
3	12 FT.	8	66K	22K	44K	N/A	N/A
3	15 FT.	10	70K	27.5K	55K	N/A	N/A
4	17 FT.	9	88K	22K	44K	44K	N/A
4	18 FT.	10	75K	27.5K	55K	55K	N/A

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

AXLE WEIGHTS CANNOT EXCEED 605 LBS. PER INCH OF TIRE WIDTH OR PERMITTED AXLE WEIGHT.

VEHICLES RANGING BETWEEN 80,000 AND 140,000 LBS. WHICH DO NOT MEET THE CONFIGURATIONS SHOWN IN THIS CHART WILL REQUIRE FURTHER REVIEW BY THE DEPARTMENT FOR CONSIDERATION OF PERMIT ISSUANCE.

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES

TRUCK CRANES (UNDER OWN POWER) MAP # 2

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER-BRIDGE</u>	<u>MIN. FT. BETWEEN GROUPINGS</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
-----------------------------	--------------------------	-----------------------------------	--------------------------	---------------------------------	---------------------------------	---------------------------------	-------------------------------------

CRANE MAP #2

4	20 FT.	8	95K	25K	50K	50K	N/A
4	21 FT.	8	96K	25K	50K	50K	N/A
4	22 FT.	8	97K	25K	50K	50K	N/A
4	20 FT.	10	85K	27.5K	55K	55K	N/A
4	16 FT.	8	88K	22K	44K	66K	N/A

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

AXLE WEIGHTS CANNOT EXCEED 605 LBS. PER INCH OF TIRE WIDTH OR PERMITTED AXLE WEIGHT.

VEHICLES RANGING BETWEEN 80,000 AND 140,000 LBS. WHICH DO NOT MEET THE CONFIGURATIONS SHOWN IN THIS CHART WILL REQUIRE FURTHER REVIEW BY THE DEPARTMENT FOR CONSIDERATION OF PERMIT ISSUANCE.

WEIGHT RESTRICTIONS CHART FOR BLANKET PERMIT VEHICLES TRUCK CRANES (UNDER OWN POWER) MAP # 3

This list should be used in conjunction with the online GIS routing maps.

(minimum 10 ft. spacing required between groupings unless otherwise noted)

<u>MIN. # OF AXLES REQ.</u>	<u>MIN. OUTER-BRIDGE</u>	<u>MIN. FT. BETWEEN GROUPINGS</u>	<u>MAX. GROSS WEIGHT</u>	<u>MAX. 1 AXLE GROUP WEIGHT</u>	<u>MAX. 2 AXLE GROUP WEIGHT</u>	<u>MAX. 3 AXLE GROUP WEIGHT</u>	<u>MAX. 4 (+) AXLE GROUP WEIGHT</u>
-----------------------------	--------------------------	-----------------------------------	--------------------------	---------------------------------	---------------------------------	---------------------------------	-------------------------------------

CRANE MAP # 3

5	32 FT.	8	100K	22K	44K	66K	66K
5	20 FT.	8	97K	22K	44K	66K	66K
5	*25FT.	10	100K	22K	44K	66K	66K
6	30 FT.	8	105K	20K	40K	60K	66K
6	31 FT.	8	106K	20K	40K	60K	66K
6	30 FT.	10	105K	22K	44K	66K	66K
6	51 FT.	8	108K	22K	44K	66K	66K
7	35 FT.	10	110K	22K	44K	66K	66K
7	**51 FT.	8	118K	22K	44K	66K	66K
8	*51 FT.	8	122K	22K	44K	66K	66K
8	*40 FT.	10	113K	22K	44K	66K	66K
9	51 FT.	10	125K	20K	40K	60K	66K

//**/* 1,000 Pounds may be added to gross weight for each additional foot of outer bridge

* 5,000 pounds maximum

** 4,000 pounds maximum

*** 3,000 pounds maximum

“K” REPRESENTS 1,000 POUNDS. EXAMPLE 112K = 112,000 POUNDS.

AXLE WEIGHTS CANNNOT EXCEED 605 LBS. PER INCH OF TIRE WIDTH OR PERMITTED AXLE WEIGHT.

VEHICLES RANGING BETWEEN 80,000 AND 140,000 LBS. WHICH DO NOT MEET THE CONFIGURATIONS SHOWN IN THIS CHART WILL REQUIRE FURTHER REVIEW BY THE DEPARTMENT FOR CONSIDERATION OF PERMIT ISSUANCE.